

# Maximum Performance (MaP) of WaterSense High-Efficiency Toilet Fixtures (HETs)

Sorted by Manufacturer

January 2009 listing

NOTE: Compiling this listing is a service of the U.S.-Canadian Alliance for Water Efficiency and the California Urban Water Conservation Council. All of the fixtures on this list are certified by an independent laboratory to meet the requirements of the U.S. EPA WaterSense specification for HETs. Information for this listing has been obtained from the WaterSense website and from test reports provided by recognized laboratories participating in the WaterSense program. NOTE: This listing is NOT the official list of the U.S. EPA's WaterSense Program. For a full description of WaterSense, go to: <http://www.epa.gov/watersense/>

NOTE: Some of the WaterSense-certified fixtures on this list have NOT been fully MaP tested to their "maximum performance", but rather have been tested only to the 350 gram threshold in required by the WaterSense test specification for HETs. It is likely that those fixtures would perform at a threshold above 350 grams if they were subjected to full MaP testing. Those fixtures are denoted with a "WS" in the left column, followed by a designation of the first MaP report edition in which they appeared, such as "WS-12". At such time as the fixtures are subjected to MaP testing, the performance results will be included in this listing.

| MaP Test Report No.<br>(for internal use) | Make                           | Model Name                                   | Model Number   | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | 1-piece or 2-piece model | Flush Valve-Flapper size (in.) | Round Front (R) or Elongated (E) bowl | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush on a dual-flush system | Power OR Pressure-Assisted Full Flush at 1.6-G (6-L) | Type of HET |  |   | Rear Discharge | Floor-Mounted (F) OR Wall-Mounted (W) |
|---|--------------------------------|--|--|--|--------------------------|--------------------------------|---------------------------------------|--------------------------------------|--|--|-------------|--|---|----------------|---------------------------------------|
|   |                                |  |  |  |                          |                                |                                       |                                      |  |  | Dual-Flush  | Single-Flush Max 1.1-G (4-L) Pressure-Assist | Single-Flush Max 1.28 G (4.8 L) Gravity |                |                                       |
|   |                                | <b>KEY:</b><br>Flush performance (MaP score) |  |  |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
|   |                                |  |  | 350 grams to 475 grams   |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
|   |                                |  |  | 500 grams and more   |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
|   |                                | Type of toilet fixture                       |  |  |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
|   |                                |  | 6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)  |  |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
|   |                                |  | 4-L (1.1-gal) Pressure-assist  |  |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
|   |                                |  | Gravity-fed  |  |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
| 12-108                                    | American Standard              | Cadet 3 FloWise EL                           | 2832.128: 3014.128 bowl, 4021.128 tank   | 1,000  | 2                        | 3                              | E                                     |                                      |  |  |             |  | HET                                     |                | F                                     |
| 12-107 & 12-114                           | American Standard              | Cadet 3 FloWise EL ADA                       | 2835.128: 3016.128 bowl, 4021.128 tank; NOTE: this combination is also sold as 3305.128, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU. | 1,000  | 2                        | 3                              | E                                     | *                                    |  |  |             |  | HET                                     |                | F                                     |
| 12-101                                    | American Standard              | Cadet 3 FloWise RF                           | 2829.128: 3011.128 bowl, 4021.128 tank   | 800  | 2                        | 3                              | R                                     |                                      |  |  |             |  | HET                                     |                | F                                     |
| 10-127                                    | American Standard              | Compact Cadet 3 FloWise EL ADA               | SOLD IN 3 COMBINATIONS (one-piece toilet) - 2403.128, 2568.128 and 2403.500 (lined tank)   | 1,000  | 1                        | 3                              | E                                     | *                                    |  |  |             |  | HET                                     |                | F                                     |
| 10-126                                    | American Standard              | FloWise Dual Flush EL                        | 2479.216 (this combination also sold as 2476.216 when with a slow-close seat): 3067 bowl, 4035.216 tank  | 900  | 2                        | 2                              | E                                     |                                      | *  |  |             |  | HET                                     |                | F                                     |
| 12-112                                    | American Standard              | FloWise Dual Flush EL (insulated tank)       | SOLD IN 3 COMBINATIONS - 2479.516, 2779.516 and 2476.516: each combination with 3067 bowl, 4035.516 tank(lined)  | 800  | 2                        | 2                              | E                                     |                                      | *  |  |             |  | HET                                     |                | F                                     |
| 12-113 & 12-116                           | American Standard              | FloWise Dual Flush EL ADA                    | SOLD IN 4 COMBINATIONS - 2480.216, 2484.216, 2566.216 and 2778.516: each combination with 3073 bowl, 4035 tank.  | 600  | 2                        |                                | E                                     | *                                    | *  |  |             |  | HET                                     |                | F                                     |
| 12-111 & 12-115                           | American Standard              | FloWise Dual Flush EL ADA (insulated tank)   | SOLD IN 3 COMBINATIONS - 2480.516, 2484.516 and 2566.516: each combination with 3073 bowl, 4035.516 tank (lined)   | 500  | 2                        | 2                              | E                                     | *                                    | *  |  |             |  | HET                                     |                | F                                     |
| 10-021                                    | American Standard              | FloWise EL                                   | 2073.014: 3018 bowl, 4023.014 tank   | 750  | 2                        | 3                              | E                                     |                                      |  |  |             |  | HET                                     |                | F                                     |
| 13-089                                    | American Standard              | Mainstream FloWise RF                        | 3468.128: 3061.428 bowl, 4061.428 tank   | 800  | 2                        | 2                              | R                                     |                                      |  |  |             |  | HET                                     |                | F                                     |
|   | <b>AQUASOURCE - SEE LOWE'S</b> |  |  |  |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
| WS-12                                     | Axent-Regatta Water Co.        | None EL ADA                                  | AT1203-xx  | 350  | 2                        |                                | E                                     | *                                    |  |  |             |  | HET                                     |                | F                                     |
| 12-028                                    | Ayers Bath (Tangshan)          | Dofiny - EL ADA                              | UACT1301: UAC1301BS-AA bowl, UAT1302-AA tank   | 550  | 2                        | 3                              | E                                     | *                                    |  |  |             |  | HET                                     |                | F                                     |

| MaP Test Report No.<br>(for internal use) | Make                  | Model Name   | Model Number                       | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | 1-piece or 2-piece model | Flush Valve-Flapper size (in.) | Round Front (R) or Elongated (E) bowl | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush on a dual-flush system | Power OR Pressure-Assisted Full Flush at 1.6-G (6-L) | Type of HET |  |   | Rear Discharge | Floor-Mounted (F) OR Wall-Mounted (W) |
|---|-----------------------|--|------------------------------------|--|--------------------------|--------------------------------|---------------------------------------|--------------------------------------|--|--|-------------|--|---|----------------|---------------------------------------|
|   |                       |  |                                    |  |                          |                                |                                       |                                      |  |  | Dual-Flush  | Single-Flush Max 1.1-G (4-L) Pressure-Assist | Single-Flush Max 1.28 G (4.8 L) Gravity |                |                                       |
|   |                       |  |                                    |  |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
|   |                       | <b>KEY:</b>  |                                    |  |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
|   |                       | Flush performance (MaP score)  |                                    |  |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
|   |                       |  |                                    | 350 grams to 475 grams   |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
|   |                       |  |                                    | 500 grams and more   |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
|   |                       | Type of toilet fixture   |                                    |  |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
|   |                       |  |                                    | 6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)            |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
|   |                       |  |                                    | 4-L (1.1-gal) Pressure-assist  |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
|   |                       |  |                                    | Gravity-fed  |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
| WS-13                                     | Ayers Bath (Tangshan) | None EL  | UAC1303BS-AA bowl, UAT1304-AA tank | 350  | 2                        |                                | E                                     |                                      |  |  |             |  | HET                                     |                | F                                     |
| WS-13                                     | Ayers Bath (Tangshan) | None RF (one-piece)  | UAC1003BS-AA (one-piece)           | 350  | 1                        |                                | R                                     |                                      |  |  |             |  | HET                                     |                | F                                     |
| WS-12                                     | Briggs                | None EL  | 4208: 4375 bowl, 4484 tank         | 350  | 2                        |                                | E                                     |                                      | *  |  |             |  | HET                                     |                | F                                     |
| WS-12                                     | Briggs                | None RF  | 4207: 4370 bowl, 4484 tank         | 350  | 2                        |                                | R                                     |                                      | *  |  |             |  | HET                                     |                | F                                     |
| 8-536                                     | Caroma                | Adelaide 270 Cube EL   | 834000 bowl, 814790 tank           | 700  | 2                        | -                              | E                                     |                                      | *  |  |             |  | HET                                     |                | F                                     |
| 12-006                                    | Caroma                | Adelaide 270 EH Cube RF ADA  | 825500 bowl, 814790 tank           | 700  | 2                        | -                              | R                                     | *                                    | *  |  |             |  | HET                                     |                | F                                     |
| 12-005                                    | Caroma                | Adelaide 270 EH Standard RF ADA  | 825500 bowl, 814328 tank           | 700  | 2                        | -                              | R                                     | *                                    | *  |  |             |  | HET                                     |                | F                                     |
| 8-537                                     | Caroma                | Adelaide 270 Standard EL   | 834000 bowl, 814328 tank           | 700  | 2                        | -                              | E                                     |                                      | *  |  |             |  | HET                                     |                | F                                     |
| 10-113                                    | Caroma                | Bondi 270 CC RF  | 609159 bowl, 726350 tank           | 600  | 2                        | -                              | R                                     |                                      | *  |  |             |  | HET                                     |                | F                                     |
| 11-050                                    | Caroma                | Bondi 270 EL   | 609100 bowl, 726350 tank           | 550  | 2                        | -                              | E                                     |                                      | *  |  |             |  | HET                                     |                | F                                     |
| 10-112                                    | Caroma                | Bondi 270 EL ADA   | 609120 bowl, 726350 tank           | 900  | 2                        | -                              | E                                     | *                                    | *  |  |             |  | HET                                     |                | F                                     |
| 11-049                                    | Caroma                | Bondi 270 RF ADA   | 607177 bowl, 726350 tank           | 550  | 2                        | -                              | E                                     | *                                    | *  |  |             |  | HET                                     |                | F                                     |
| 10-110                                    | Caroma                | Bondi 305 CC RF  | 609151 bowl, 726350 tank           | 450  | 2                        | -                              | R                                     |                                      | *  |  |             |  | HET                                     |                | F                                     |
| 13-069                                    | Caroma                | Bondi 305 EL   | 609130 bowl, 726350 tank           | 700  | 2                        | -                              | E                                     |                                      | *  |  |             |  | HET                                     |                | F                                     |
| 12-002                                    | Caroma                | Brisbane 270 RF  | 833900 bowl, 810266 tank           | 700  | 2                        | -                              | R                                     |                                      | *  |  |             |  | HET                                     |                | F                                     |
| 8-538                                     | Caroma                | Caravelle 1-Piece EL ADA   | 989668                             | 800  | 1                        | -                              | E                                     | *                                    | *  |  |             |  | HET                                     |                | F                                     |
| 9-032                                     | Caroma                | Caravelle 270 EL   | 609100 bowl, 629435 tank           | 500  | 2                        | -                              | E                                     |                                      | *  |  |             |  | HET                                     |                | F                                     |
| 7-525                                     | Caroma                | Caravelle 270 EL ADA   | 609120 bowl, 629435 tank           | 800  | 2                        | -                              | E                                     | *                                    | *  |  |             |  | HET                                     |                | F                                     |
|   | Caroma                | Caravelle 270 RF   | 989760: 609159 bowl, 629435 tank   | 500  | 2                        | -                              | R                                     |                                      | *  |  |             |  | HET                                     |                | F                                     |
| 5-509                                     | Caroma                | Caravelle 270 RF ADA   | 989770: 609177 bowl, 629435 tank   | 800  | 2                        | -                              | R                                     | *                                    | *  |  |             |  | HET                                     |                | F                                     |
| 7-526                                     | Caroma                | Caravelle 305 EL   | 609130 bowl, 629435 tank           | 500  | 2                        | -                              | E                                     |                                      | *  |  |             |  | HET                                     |                | F                                     |
| 5-508                                     | Caroma                | Caravelle 305 RF   | 989680: 609151 bowl, 629435 tank   | 650  | 2                        | -                              | R                                     |                                      | *  |  |             |  | HET                                     |                | F                                     |
|   | Caroma                | Caravelle One-Piece RF   | 989646                             | 500  | 1                        | -                              | R                                     |                                      | *  |  |             |  | HET                                     |                | F                                     |
| 7-513                                     | Caroma                | Colonial 270 RF  | 605310 bowl, 625070 tank           | 600  | 2                        | -                              | R                                     |                                      | *  |  |             |  | HET                                     |                | F                                     |
| 12-004                                    | Caroma                | Colonial 270 RF  | 605320 bowl, 625070 tank           | 700  | 2                        | -                              | R                                     |                                      | *  |  |             |  | HET                                     |                | F                                     |
| 14-                                       | Caroma                | Profile Smart 305 RF (NOTE: 1.20-gpf / 4.5 Lpf for the full flush - 0.8-gpf / 3.0 Lpf for reduced flush) | 609151A bowl, 840420 tank          | 800  | 2                        | -                              | R                                     |                                      | 1.2  |  |             |  | HET                                     |                | F                                     |
| 11-052                                    | Caroma                | Royale 270 EL  | 609100 bowl, 624530 tank           | 800  | 2                        | -                              | E                                     |                                      | *  |  |             |  | HET                                     |                | F                                     |
| 7-514                                     | Caroma                | Royale 270 EL ADA  | 609120 bowl, 624530 tank           | 850  | 2                        | -                              | E                                     | *                                    | *  |  |             |  | HET                                     |                | F                                     |
| 7-528                                     | Caroma                | Royale 270 RF  | 609159 bowl, 624530 tank           | 600  | 2                        | -                              | R                                     |                                      | *  |  |             |  | HET                                     |                | F                                     |
| 11-051                                    | Caroma                | Royale 270 RF ADA  | 609177 bowl, 624530 tank           | 900  | 2                        | -                              | E                                     | *                                    | *  |  |             |  | HET                                     |                | F                                     |
| 5-519                                     | Caroma                | Royale 305 EL  | 609130 bowl, 629530 tank           | 850  | 2                        | -                              | E                                     |                                      | *  |  |             |  | HET                                     |                | F                                     |
|   | Caroma                | Royale 305 RF  | 609151 bowl, 624530 tank           | 600  | 2                        | -                              | R                                     |                                      | *  |  |             |  | HET                                     |                | F                                     |
| 11-055                                    | Caroma                | Sydney 270 EL  | 609100 bowl, 622320 tank           | 500  | 2                        | -                              | E                                     |                                      | *  |  |             |  | HET                                     |                | F                                     |





| MaP Test Report No.<br>(for internal use) | Make            | Model Name                                   | Model Number  | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | 1-piece or 2-piece model | Flush Valve-Flapper size (in.) | Round Front (R) or Elongated (E) bowl | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush on a dual-flush system | Power OR Pressure-Assisted Full Flush at 1.6-G (6-L) | Type of HET |  |   | Rear Discharge | Floor-Mounted (F) OR Wall-Mounted (W) |
|---|-----------------|--|---|--|--------------------------|--------------------------------|---------------------------------------|--------------------------------------|--|--|-------------|--|---|----------------|---------------------------------------|
|   |                 |  |   |  |                          |                                |                                       |                                      |  |  | Dual-Flush  | Single-Flush Max 1.1-G (4-L) Pressure-Assist | Single-Flush Max 1.28 G (4.8 L) Gravity |                |                                       |
|   |                 |  |   |  |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
|   |                 | <b>KEY:</b><br>Flush performance (MaP score) |   |  |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
|   |                 |  |   | 350 grams to 475 grams   |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
|   |                 |  |   | 500 grams and more   |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
|   |                 | Type of toilet fixture                       |   |  |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
|   |                 |  |   | 6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)            |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
|   |                 |  |   | 4-L (1.1-gal) Pressure-assist  |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
|   |                 |  |   | Gravity-fed  |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
| <b>12-017</b>                             | <b>Foremost</b> | AIO EL ADA                                   | AIO1000-E: AIOB1000-E bowl, AIOT1000 tank   | <b>1,000</b>   | <b>2</b>                 | <b>-</b>                       | <b>E</b>                              | <b>*</b>                             |  | <b>*</b>   | <b>HET</b>  |  |   |                | <b>F</b>                              |
| <b>WS-14</b>                              | <b>Foremost</b> | None EL                                      | TT-8295-YL: LL-7600-HET bowl, T-7600-HET-YL tank  | <b>350</b>   | <b>2</b>                 |                                | <b>E</b>                              |                                      |  |  |             |  | <b>HET</b>                              |                | <b>F</b>                              |
| <b>13-135</b>                             | <b>Foremost</b> | None EL (one-piece)                          | TL-6100-E*N   | <b>500</b>   | <b>1</b>                 | <b>3</b>                       | <b>E</b>                              |                                      |  |  |             |  | <b>HET</b>                              |                | <b>F</b>                              |
| <b>11-086 &amp; 13-149</b>                | <b>Foremost</b> | None EL ADA                                  | <b>TL-7600HC-HET OR BT6001:</b> LL-7600HC-HET bowl, T-7600-HET tank ( <b>ALSO SOLD BY HOME DEPOT AS GLACIER BAY SKU 331-725; ALSO SOLD AT LOWE'S AS AQUASOURCE 005905</b> ) | <b>1,000</b>   | <b>2</b>                 | <b>3</b>                       | <b>E</b>                              | <b>*</b>                             |  |  |             |  | <b>HET</b>                              |                | <b>F</b>                              |
| <b>13-130</b>                             | <b>Foremost</b> | None EL ADA                                  | TL-7600HC-HET-*L: LL-7600HC-HET bowl, T-7600HC-HET-*L tank (insulated) ( <b>ALSO SOLD as TL-8295-WL</b> )   | <b>900</b>   | <b>2</b>                 | <b>3</b>                       | <b>E</b>                              |                                      |  |  |             |  | <b>HET</b>                              |                | <b>F</b>                              |
| <b>13-132</b>                             | <b>Foremost</b> | None RF                                      | TL-7600HC-HETR: LL-7600HC-HETR bowl, T-7600HC-HET tank  | <b>900</b>   | <b>2</b>                 | <b>3</b>                       | <b>R</b>                              |                                      |  |  |             |  | <b>HET</b>                              |                | <b>F</b>                              |
| <b>13-131</b>                             | <b>Foremost</b> | None RF ADA                                  | TL-7600HC-HETR-*L: LL-7600HC-HETR bowl, T-7600HC-HET-*L tank (insulated tank)   | <b>1,000</b>   | <b>2</b>                 | <b>3</b>                       | <b>R</b>                              |                                      |  |  |             |  | <b>HET</b>                              |                | <b>F</b>                              |
| <b>11-001</b>                             | <b>Foremost</b> | Plaza  | TL-7107-*L: LL-7107 bowl, T-7107 tank   | <b>500</b>   | <b>2</b>                 | <b>2.5</b>                     | <b>S</b>                              |                                      | <b>*</b>                                       |  | <b>HET</b>  |  |   |                | <b>F</b>                              |
| <b>11-073</b>                             | <b>Foremost</b> | Total - RF                                   | TT-2010-*L: LL-2010 bowl, T-2010 tank (lined)   | <b>600</b>   | <b>2</b>                 | <b>2.5</b>                     | <b>R</b>                              |                                      | <b>*</b>                                       |  | <b>HET</b>  |  |   |                | <b>F</b>                              |
| <b>13-133</b>                             | <b>Foremost</b> | Home Depot - Pegasus EL ADA                  | TL-7700HC-HET: LL-7700HC-HET bowl, T-7700-HET tank (HD SKU#780-036)   | <b>800</b>   | <b>2</b>                 | <b>3</b>                       | <b>E</b>                              | <b>*</b>                             |  |  |             |  | <b>HET</b>                              |                | <b>F</b>                              |
| <b>13-134</b>                             | <b>Foremost</b> | Total Advantage EL                           | TT-2000E-WL (one piece - lined)   | <b>1,000</b>   | <b>1</b>                 | <b>2</b>                       | <b>E</b>                              |                                      |  |  | <b>HET</b>  |  |   |                | <b>F</b>                              |
| <b>WS</b>                                 | <b>Gerber</b>   | Ultra Dual Flush EL                          | DF-21-310: 21-374 bowl, DF-28-380 tank  | <b>350</b>   | <b>2</b>                 | <b>-</b>                       | <b>E</b>                              |                                      |  | <b>*</b>   | <b>HET</b>  |  |   | <b>R</b>       | <b>F</b>                              |
| <b>5-564</b>                              | <b>Gerber</b>   | Ultra Dual Flush EL                          | DF-21-312: 21-372 bowl, DF-28-380 tank  | <b>1,000</b>   | <b>2</b>                 | <b>-</b>                       | <b>E</b>                              |                                      |  | <b>*</b>   | <b>HET</b>  |  |   |                | <b>F</b>                              |
| <b>5-580</b>                              | <b>Gerber</b>   | Ultra Dual Flush EL                          | DF-21-314: 21-372 bowl, DF-28-384 tank  | <b>1,000</b>   | <b>2</b>                 | <b>-</b>                       | <b>E</b>                              |                                      |  | <b>*</b>   | <b>HET</b>  |  |   |                | <b>F</b>                              |
| <b>5-560</b>                              | <b>Gerber</b>   | Ultra Dual Flush EL ADA                      | DF 21-318: 21-377 bowl, DF-28-380 tank  | <b>1,000</b>   | <b>2</b>                 | <b>-</b>                       | <b>E</b>                              | <b>*</b>                             |  | <b>*</b>   | <b>HET</b>  |  |   |                | <b>F</b>                              |
| <b>5-586</b>                              | <b>Gerber</b>   | Ultra Dual Flush EL ADA                      | DF-21-324: 21-377 bowl, DF-28-384 tank  | <b>1,000</b>   | <b>2</b>                 | <b>-</b>                       | <b>E</b>                              | <b>*</b>                             |  | <b>*</b>   | <b>HET</b>  |  |   |                | <b>F</b>                              |
| <b>5-567</b>                              | <b>Gerber</b>   | Ultra Dual Flush EL ADA (rear discharge)     | DF-21-325: 21-375 bowl, DF-28-380 tank  | <b>1,000</b>   | <b>2</b>                 | <b>-</b>                       | <b>E</b>                              | <b>*</b>                             |  | <b>*</b>   | <b>HET</b>  |  |   | <b>R</b>       | <b>F</b>                              |
| <b>6-616</b>                              | <b>Gerber</b>   | Ultra Dual Flush RF                          | DF-21-302: 21-342 bowl, DF-28-380 tank  | <b>1,000</b>   | <b>2</b>                 |                                | <b>R</b>                              |                                      |  | <b>*</b>   | <b>HET</b>  |  |   |                | <b>F</b>                              |
| <b>6-620</b>                              | <b>Gerber</b>   | Ultra Dual Flush RF                          | DF-21-304: 21-342 bowl, DF-28-384 tank  | <b>1,000</b>   | <b>2</b>                 | <b>-</b>                       | <b>R</b>                              |                                      |  | <b>*</b>   | <b>HET</b>  |  |   |                | <b>F</b>                              |
| <b>WS</b>                                 | <b>Gerber</b>   | Ultra Flush EL                               | EF-21-310: 21-374 bowl, EF-28-380 tank  | <b>350</b>   | <b>2</b>                 |                                | <b>E</b>                              |                                      |  |  |             | <b>HET</b>                                   |   | <b>R</b>       | <b>F</b>                              |
| <b>5-559</b>                              | <b>Gerber</b>   | Ultra Flush EL ADA                           | EF 21-318: 21-377 bowl, EF-28-380 tank  | <b>800</b>   | <b>2</b>                 | <b>-</b>                       | <b>E</b>                              | <b>*</b>                             |  |  |             | <b>HET</b>                                   |   |                | <b>F</b>                              |
| <b>5-563</b>                              | <b>Gerber</b>   | Ultra Flush EL ADA                           | EF-21-312: 21-372 bowl, EF-28-380 tank  | <b>800</b>   | <b>2</b>                 | <b>-</b>                       | <b>E</b>                              | <b>*</b>                             |  |  |             | <b>HET</b>                                   |   |                | <b>F</b>                              |
| <b>5-576</b>                              | <b>Gerber</b>   | Ultra Flush EL ADA                           | EF-21-314: 21-372 bowl, EF-28-384 tank  | <b>800</b>   | <b>2</b>                 | <b>-</b>                       | <b>E</b>                              | <b>*</b>                             |  |  |             | <b>HET</b>                                   |   |                | <b>F</b>                              |
| <b>5-584</b>                              | <b>Gerber</b>   | Ultra Flush EL ADA                           | EF-21-324: 21-372 bowl, EF-28-384 tank  | <b>800</b>   | <b>2</b>                 | <b>-</b>                       | <b>E</b>                              | <b>*</b>                             |  |  |             | <b>HET</b>                                   |   |                | <b>F</b>                              |
| <b>5-566</b>                              | <b>Gerber</b>   | Ultra Flush EL ADA (rear discharge)          | EF-21-325: 21-375 bowl, EF-28-380 tank  | <b>800</b>   | <b>2</b>                 | <b>-</b>                       | <b>E</b>                              | <b>*</b>                             |  |  |             | <b>HET</b>                                   |   | <b>R</b>       | <b>F</b>                              |
| <b>6-615</b>                              | <b>Gerber</b>   | Ultra Flush RF                               | EF-21-302: 21-342 bowl, EF-28-380 tank  | <b>1,000</b>   | <b>2</b>                 | <b>-</b>                       | <b>R</b>                              |                                      |  |  |             | <b>HET</b>                                   |   |                | <b>F</b>                              |
| <b>6-619</b>                              | <b>Gerber</b>   | Ultra Flush RF                               | EF-21-304: 21-342 bowl, EF-28-384 tank  | <b>1,000</b>   | <b>2</b>                 | <b>-</b>                       | <b>R</b>                              |                                      |  |  |             | <b>HET</b>                                   |   |                | <b>F</b>                              |
| <b>GREENTIDE - SEE LUOYANG MEIDIYA</b>    |                 |  |   |  |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |

| MaP Test Report No.<br>(for internal use)                                   | Make                                   | Model Name                       | Model Number  | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | 1-piece or 2-piece model | Flush Valve-Flapper size (in.) | Round Front (R) or Elongated (E) bowl | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush on a dual-flush system | Power OR Pressure-Assisted Full Flush at 1.6-G (6-L) | Type of HET |  |   | Rear Discharge | Floor-Mounted (F) OR Wall-Mounted (W) |
|---|--|----------------------------------|---|--|--------------------------|--------------------------------|---------------------------------------|--------------------------------------|--|--|-------------|--|---|----------------|---------------------------------------|
|   |  |                                  |   |  |                          |                                |                                       |                                      |  |  | Dual-Flush  | Single-Flush Max 1.1-G (4-L) Pressure-Assist | Single-Flush Max 1.28 G (4.8 L) Gravity |                |                                       |
| <b>KEY:</b>   |  |                                  |   |  |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
| <b>Flush performance (MaP score)</b>  |  |                                  |   |  |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
| 350 grams to 475 grams  |  |                                  |   |  |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
| 500 grams and more  |  |                                  |   |  |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
| <b>Type of toilet fixture</b>   |  |                                  |   |  |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
| 6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system) |  |                                  |   |  |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
| 4-L (1.1-gal) Pressure-assist   |  |                                  |   |  |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
| Gravity-fed   |  |                                  |   |  |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
| <b>HD SUPPLY - SEE SEASONS</b>  |  |                                  |   |  |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
| 11-086  | Home Depot - Glacier Bay (by Foremost) | Glacier Bay EL ADA               | TL-7600HC-HET-Y: LL-7600HC-HET bowl, T-7600-HET tank - <b>Sold combined as Home Depot SKU 331-725</b> (Foremost Model BT6001)             | 400  | 2                        |                                | E                                     | *                                    | *  |  |             |  | HET                                     |                | F                                     |
| WS-14   | Home Depot - Glacier Bay (by Foremost) | Glacier Bay RF                   | HD SKU: 535-904: LL-7600-HETR bowl, T-7600-HET-YL tank  | 350  | 2                        |                                | R                                     |                                      |  |  |             |  | HET                                     |                | F                                     |
| 12-129  | Home Depot - Glacier Bay (by Niagara)  | Glacier Bay EL ADA               | Home Depot SKUs: 331-725 bowl, 331-725 tank   | 600  | 2                        | 3                              | E                                     | *                                    |  |  |             |  | HET                                     |                | F                                     |
| 13-133  | Home Depot - Pegasus (by Foremost)     | Pegasus EL ADA                   | TL-7700HC-HET: LL-7700HC-HET bowl, T-7700-HET tank ( <b>Sold combined as Home Depot SKU 780-036</b> )                                     | 800  | 2                        | 3                              | E                                     | *                                    |  |  |             |  | HET                                     |                | F                                     |
| 13-068  | Home Depot - Pegasus (by Niagara)      | Cottage EL ADA (Flapperless)     | N2228: N2228B bowl, N2228T tank. <b>Sold combined as Home Depot SKU 840-565</b>   | 1,000  | 2                        | -                              | E                                     | *                                    |  |  |             |  | HET                                     |                | F                                     |
| WS-14   | Home Depot - Pegasus (by Niagara)      | Pegasus RF                       | Home Depot SKUs 779-923: 779-923B bowl, 779-923T tank   | 350  | 2                        |                                | R                                     |                                      |  |  |             |  | HET                                     |                | F                                     |
| 11-106  | Home Depot (by Niagara)                | Ecologic EL ADA (Flapperless)    | N2225E: N2225EB bowl, N2225T tank. <b>Sold combined as Home Depot SKU 331-725</b>   | 800  | 2                        | -                              | E                                     | *                                    |  |  |             |  | HET                                     |                | F                                     |
| 13-037  | Jacuzzi                                | Espreo (one-piece)               | EZ36959 (one-piece)   | 1,000  | 2                        | 3                              | E                                     | *                                    |  |  |             |  | HET                                     |                | F                                     |
| 12-018  | Kohler                                 | Barrington Pressure Lite EL      | K-3652: 4327 bowl, 4484 tank  | 800  | 2                        | -                              | E                                     |                                      |  |  |             |  | HET                                     | R              | F                                     |
| 10-109  | Kohler                                 | Cimarron Eco-Smart EL ADA        | K-3496-HE: 4286 bowl, 4634-HE tank  | 800  | 2                        | 3                              | E                                     | *                                    |  |  |             |  | HET                                     |                | F                                     |
| 13-032  | Kohler                                 | Cimarron EL ADA                  | K-3609: 4309 bowl, 4421 tank - NOTE: this fixture is <b>also sold as K-11451</b> when included as part of the "COMPLETE SOLUTION" package | 1,000  | 2                        | 3                              | E                                     | *                                    |  |  |             |  | HET                                     |                | F                                     |
| 12-076  | Kohler                                 | Escale EL                        | K-3588: 4308 bowl, 4472 tank  | 500  | 2                        |                                | E                                     |                                      | *  |  |             |  | HET                                     |                | F                                     |
| WS-12   | Kohler                                 | Fountainhead Power Lite EL ADA   | K-3524 (one piece)  | 350  | 1                        |                                | E                                     | *                                    |  | *  |             |  | HET                                     |                | F                                     |
| 12-074  | Kohler                                 | Kelston EL ADA                   | K-11453: F4306 bowl, F4469 tank   | 1,000  | 2                        |                                | E                                     | *                                    |  |  |             |  | HET                                     |                | F                                     |
| 13-063  | Kohler                                 | Persuade EL                      | K-3654: 4322 bowl, 4419 tank  | 600  | 2                        | 2.5                            | E                                     |                                      | *  |  |             |  | HET                                     |                | F                                     |
| 12-094  | Kohler                                 | Saile EL                         | K-3564 (one piece)  | 500  | 1                        |                                | E                                     |                                      | *  |  |             |  | HET                                     |                | F                                     |
| 7-545   | Kohler                                 | San Raphael Power Lite EL ADA    | K-3393 Power-Assisted   | 1,000  | 1                        | -                              | E                                     | *                                    |  | *-at 1.4-  |             |  | HET                                     |                | F                                     |
| 12-024  | Kohler                                 | San Raphael Pressure Lite EL ADA | K-3597 (one-piece)  | 600  | 1                        | -                              | E                                     | *                                    |  |  |             |  | HET                                     |                | F                                     |
| 9-051   | Kohler                                 | Sterling Karsten Dual Force EL   | 402028: 402026 bowl, 402023 tank  | 400  | 2                        | 2                              | E                                     |                                      | *  |  |             |  | HET                                     |                | F                                     |
| 8-550   | Kohler                                 | Sterling Karsten RF              | 402025: 402021 bowl, 402023 tank  | 800  | 2                        | 2                              | R                                     |                                      | *  |  |             |  | HET                                     |                | F                                     |
| 6-622   | Kohler                                 | Sterling Rockton EL              | 402027: 402026 bowl, 402022 tank  | 350  | 2                        | -                              | E                                     |                                      | *  |  |             |  | HET                                     |                | F                                     |
| WS  | Kohler                                 | Sterling Rockton RF              | 402024: 402021 bowl, 402022 tank  | 350  | 2                        | -                              | R                                     |                                      | *  |  |             |  | HET                                     |                | F                                     |
| WS  | Kohler                                 | Sterling Stanton EL              | 402040: 402030 bowl, 402031 tank  | 350  | 2                        | -                              | E                                     |                                      | *  |  |             |  | HET                                     |                | F                                     |
| 7-508   | Kohler                                 | Wellworth Pressure Lite EL       | K-3531: 4303 bowl, 4484 tank  | 1,000  | 2                        | -                              | E                                     |                                      | *  |  |             |  | HET                                     |                | F                                     |
| 7-509   | Kohler                                 | Highline Pressure Lite EL ADA    | K-3519: 4304 bowl, 4484 tank  | 1,000  | 2                        | -                              | E                                     | *                                    |  |  |             |  | HET                                     |                | F                                     |



| MaP Test Report No.<br>(for internal use) | Make                             | Model Name                                 | Model Number   | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | 1-piece or 2-piece model | Flush Valve-Flapper size (in.) | Round Front (R) or Elongated (E) bowl | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush on a dual-flush system | Power OR Pressure-Assisted Full Flush at 1.6-G (6-L) | Type of HET |  |   | Rear Discharge | Floor-Mounted (F) OR Wall-Mounted (W) |
|---|----------------------------------|--|--|--|--------------------------|--------------------------------|---------------------------------------|--------------------------------------|--|--|-------------|--|---|----------------|---------------------------------------|
|   |                                  |  |  |  |                          |                                |                                       |                                      |  |  | Dual-Flush  | Single-Flush Max 1.1-G (4-L) Pressure-Assist | Single-Flush Max 1.28 G (4.8 L) Gravity |                |                                       |
|   |                                  |  |  |  |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
| KEY:                                      |                                  | Flush performance (MaP score)              |  | Type of toilet fixture   |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
|   |                                  | 350 grams to 475 grams                     |  | 6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)            |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
|   |                                  | 500 grams and more                         |  | 4-L (1.1-gal) Pressure-assist  |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
|   |                                  | Gravity-fed                                |  |  |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
| WS-12                                     | Pro-Flo (by Briggs for Ferguson) | None EL                                    | PF9201 bowl; PF9212 tank                                     | 350  | 2                        |                                | E                                     |                                      | *  |  | HET         |  |   |                | F                                     |
| WS-12                                     | Pro-Flo (by Briggs for Ferguson) | None RF                                    | PF9200 bowl; PF9212 tank                                     | 350  | 2                        |                                | R                                     |                                      | *  |  | HET         |  |   |                | F                                     |
| 11-066                                    | Pro-Flo (by Tynan for Ferguson)  | Cascade EL                                 | PF9301 bowl; PF9312 tank                                     | 400  | 2                        | 2                              | E                                     |                                      | *  |  | HET         |  |   |                | F                                     |
| 11-065                                    | Pro-Flo (by Tynan for Ferguson)  | Cascade EL ADA                             | PF9303 bowl; PF9312 tank                                     | 450  | 2                        | 2                              | E                                     | *                                    | *  |  | HET         |  |   |                | F                                     |
| 11-067                                    | Pro-Flo (by Tynan for Ferguson)  | Cascade RF                                 | PF9300 bowl; PF9312 tank                                     | 500  | 2                        | 2                              | R                                     |                                      | *  |  | HET         |  |   |                | F                                     |
| 13-109                                    | Pro-Flo (by Tynan for Ferguson)  | Foyle EL ADA                               | PF6101 bowl; PF6112HE tank (Fluidmaster fill valve)          | 800  | 2                        | 3                              | E                                     | *                                    |  |  |             |  | HET                                     |                | F                                     |
| 11-114                                    | Pro-Flo (by Tynan for Ferguson)  | MacLair EL                                 | PF9401 bowl; PF9412 tank                                     | 850  | 2                        | 3                              | E                                     |                                      |  |  |             |  | HET                                     |                | F                                     |
| 11-112                                    | Pro-Flo (by Tynan for Ferguson)  | MacLair RF                                 | PF9400 bowl; PF9412 tank                                     | 900  | 2                        | 3                              | R                                     |                                      |  |  |             |  | HET                                     |                | F                                     |
| 13-104                                    | Pro-Flo (by Tynan for Ferguson)  | None EL                                    | PF6101 bowl; PF6112HE tank (R&T fill valve)                  | 900  | 2                        |                                | E                                     |                                      |  |  |             |  | HET                                     |                | F                                     |
| 13-113                                    | Pro-Flo (by Tynan for Ferguson)  | None EL ADA                                | PF6201 bowl; PF6212HE tank                                   | 900  | 2                        |                                | E                                     |                                      |  |  |             |  | HET                                     |                | F                                     |
| 13-111                                    | Pro-Flo (by Tynan for Ferguson)  | None EL ADA                                | PF9403 bowl; PF 9412 tank (Fluidmaster fill valve)           | 950  | 2                        | 3                              | E                                     | *                                    |  |  |             |  | HET                                     |                | F                                     |
| 13-098                                    | Pro-Flo (by Tynan for Ferguson)  | None EL ADA                                | PF9403 bowl; PF 9412 tank (R&T fill valve)                   | 950  | 2                        |                                | E                                     |                                      |  |  |             |  | HET                                     |                | F                                     |
| 12-015                                    | Quality Craft                    | Alexis HET Dual Flush Toilet in Box EL ADA | 30014K: 3001 bowl, 3004 tank (insulated)                     | 900  | 2                        | 3                              | E                                     | *                                    | *  |  | HET         |  |   |                | F                                     |
| 12-014                                    | Quality Craft                    | Alexis HET Toilet in a Box - EL ADA        | 30013K: 3001 bowl, 3003 tank (insulated)                     | 900  | 2                        | 3                              | E                                     | *                                    |  |  |             |  | HET                                     |                | F                                     |
| WS-13                                     | Seasons (HD Supply)              | None EL                                    | SE10040 bowl, SE10039 tank                                   | 350  | 2                        |                                | E                                     |                                      |  |  |             |  | HET                                     |                | F                                     |
| WS-13                                     | Seasons (HD Supply)              | None EL (one-piece)                        | SE10042 (one-piece)  | 350  | 1                        |                                | E                                     |                                      |  |  |             |  | HET                                     |                | F                                     |
| WS-13                                     | Seasons (HD Supply)              | None RF                                    | SE10041 bowl, SE10039 tank                                   | 350  | 2                        |                                | R                                     |                                      |  |  |             |  | HET                                     |                | F                                     |
| <b>STERLING - SEE KOHLER</b>              |                                  |  |  |  |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
| 5-516                                     | Toto                             | Aquia EL                                   | CST414M: CT414 bowl, ST413M tank                             | 800  | 2                        | 2                              | E                                     |                                      | *  |  | HET         |  |   |                | F                                     |
| 12-082                                    | Toto                             | Aquia II EL                                | CST416M: CT416 bowl, ST416M tank                             | 500  | 2                        | 2.5                            | E                                     |                                      |  |  | HET         |  |   |                | F                                     |
| 12-084                                    | Toto                             | Aquia III EL                               | CST464M: CT464 bowl, ST464M tank                             | 500  | 2                        | 2.5                            | E                                     |                                      |  |  | HET         |  |   |                | F                                     |
| 12-080                                    | Toto                             | Aquia IIIUH EL ADA                         | CST464MF: CT464F bowl, ST464M tank                           | 500  | 2                        | 2.5                            | E                                     | *                                    |  |  | HET         |  |   |                | F                                     |
| 11-122                                    | Toto                             | EcoClayton                                 | CST784EF: C784EF bowl, ST784E tank                           | 500  | 2                        | 3                              | E                                     | *                                    |  |  |             |  | HET                                     |                | F                                     |
| 11-125                                    | Toto                             | EcoDartmouth EL ADA                        | CST754EF: C754EF bowl, ST753E tank                           | 700  | 2                        | 3                              | E                                     | *                                    |  |  |             |  | HET                                     |                | F                                     |
| 11-061                                    | Toto                             | EcoDrake EL                                | CST744E: C744E bowl, ST743E tank                             | 600  | 2                        | 3                              | E                                     |                                      |  |  |             |  | HET                                     |                | F                                     |
| 11-062                                    | Toto                             | EcoDrake EL ADA                            | CST744EL: C744EL bowl, ST743E tank                           | 900  | 2                        | 3                              | E                                     | *                                    |  |  |             |  | HET                                     |                | F                                     |
| 11-060                                    | Toto                             | EcoDrake RF                                | CST743E: C743E bowl, ST743E tank                             | 500  | 2                        | 3                              | R                                     |                                      |  |  |             |  | HET                                     |                | F                                     |
| 13-144                                    | Toto                             | EcoGuinevere EL ADA                        | CST974CEF(G) (one-piece) OR MS974***CEF(G) OR MW974***CEF(G) | 550  | 1                        | 3                              | E                                     | *                                    |  |  |             |  | HET                                     |                | F                                     |
| 11-121                                    | Toto                             | EcoNexus EL ADA                            | CST794EF: CT794EF bowl, ST794E tank                          | 500  | 2                        | 3                              | E                                     | *                                    |  |  |             |  | HET                                     |                | F                                     |
| 12-081                                    | Toto                             | EcoPromenade EL ADA                        | CST424EF: C424EF bowl, ST423E tank                           | 400  | 2                        | 3                              | E                                     | *                                    |  |  |             |  | HET                                     |                | F                                     |
| 13-146                                    | Toto                             | EcoPromenade RF                            | CST423EF: C423EF bowl, ST423E tank                           | 550  | 2                        | 3                              | R                                     |                                      |  |  |             |  | HET                                     |                | F                                     |
| 11-120                                    | Toto                             | EcoSupreme EL                              | CST864E OR MS864114E OR MW864***E                            | 500  | 1                        | 3                              | E                                     |                                      |  |  |             |  | HET                                     |                | F                                     |



| MaP Test Report No.<br>(for internal use)     | Make                          | Model Name                                   | Model Number                     | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | 1-piece or 2-piece model | Flush Valve-Flapper size (in.) | Round Front (R) or Elongated (E) bowl | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush on a dual-flush system | Power OR Pressure-Assisted Full Flush at 1.6-G (6-L) | Type of HET |  |   | Rear Discharge | Floor-Mounted (F) OR Wall-Mounted (W) |
|---|-------------------------------|--|----------------------------------|--|--------------------------|--------------------------------|---------------------------------------|--------------------------------------|--|--|-------------|--|---|----------------|---------------------------------------|
|   |                               |  |                                  |  |                          |                                |                                       |                                      |  |  | Dual-Flush  | Single-Flush Max 1.1-G (4-L) Pressure-Assist | Single-Flush Max 1.28 G (4.8 L) Gravity |                |                                       |
|   |                               | <b>KEY:</b><br>Flush performance (MaP score) |                                  |  |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
|   |                               |  |                                  | 350 grams to 475 grams   |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
|   |                               |  |                                  | 500 grams and more   |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
|   |                               | Type of toilet fixture                       |                                  |  |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
|   |                               |  |                                  | 6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)            |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
|   |                               |  |                                  | 4-L (1.1-gal) Pressure-assist  |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
|   |                               |  |                                  | Gravity-fed  |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
| 13-033  | Vortens-Lamosa                | Loretto EL ADA                               | 3140 bowl, 3475 tank             | 1,000  | 2                        | 3                              | E                                     | *                                    |  |  |             |  | HET                                     |                | F                                     |
| 13-029  | Vortens-Lamosa                | Loretto RF                                   | 3213 bowl, 3475 tank             | 800  | 2                        | 3                              | R                                     |                                      |  |  |             |  | HET                                     |                | F                                     |
| 10-050  | Vortens-Lamosa                | Rhodas EL ADA (HET)                          | 3123 bowl, 3436 tank             | 1,000  | 2                        | -                              | E                                     | *                                    | *  |  |             | HET  |   |                | F                                     |
| 5-504   | Vortens-Lamosa                | Tornado EL                                   | 3138 bowl, 3468 tank             | 700  | 2                        | -                              | E                                     |                                      |  |  |             |  | HET                                     |                | F                                     |
| 8-553   | Vortens-Lamosa                | Tornado EL ADA                               | 3134 bowl, 3468 tank             | 1,000  | 2                        | -                              | E                                     | *                                    |  |  |             |  | HET                                     |                | F                                     |
| WS-12   | Vortens-Lamosa                | Vienna ELX                                   | 3113 bowl, 3420 tank             | 350  | 2                        |                                | E                                     |                                      |  |  |             | HET  |   |                | F                                     |
| 13-035  | Vortens-Lamosa                | Vienna ELX                                   | 3113 bowl, 3436 tank             | 600  | 2                        | 2                              | E                                     |                                      | *  |  |             | HET  |   |                | F                                     |
| 11-063  | Vortens-Lamosa                | Vienna RF                                    | 3208 bowl, 3436V tank            | 600  | 2                        | 2                              | R                                     |                                      | *  |  |             | HET  |   |                | F                                     |
|   | Vortens-Lamosa                | Vienna RF Dual Flush                         | 3208 bowl, 3420 tank             | 375  | 2                        |                                | R                                     |                                      | *  |  |             | HET  |   |                | F                                     |
| WS-12   | Vortens-Lamosa                | Vienna Victory RF                            | 3209 bowl, 3420 tank             | 350  | 2                        |                                | R                                     |                                      | *  |  |             | HET  |   |                | F                                     |
| 10-052  | Vortens-Lamosa                | Vienna Victory RF                            | 3209 bowl, 3436SPS tank          | 600  | 2                        | 2                              | R                                     |                                      | *  |  |             | HET  |   |                | F                                     |
| <b>WATERIDGE - SEE MILIM G&amp;G CERAMICS</b> |                               |  |                                  |  |                          |                                |                                       |                                      |  |  |             |  |   |                |                                       |
| WS-13   | Xiamen Lota International Co. | None   | CT-113: CF-113 bowl, TA-113 tank | 350  | 2                        |                                | E                                     |                                      |  |  |             |  | HET                                     |                | F                                     |
| WS-13   | Xiamen Lota International Co. | None   | CT-123: CF-123 bowl, TA-123 tank | 350  | 2                        |                                | E                                     |                                      |  |  |             |  | HET                                     |                | F                                     |
| 6-637   | Zurn                          | EcoVantage Dual Flush EL                     | Z5572: Z5570 bowl, Z5562 tank    | 800  | 2                        | -                              | E                                     |                                      | *  |  |             | HET  |   |                | F                                     |
| 6-639   | Zurn                          | EcoVantage Dual Flush EL ADA                 | Z5562: Z5560 bowl, Z5562 tank    | 1,000  | 2                        | -                              | E                                     | *                                    | *  |  |             | HET  |   |                | F                                     |
| 6-634   | Zurn                          | EcoVantage EL                                | Z5571: Z5570 bowl, Z5561 tank    | 800  | 2                        | -                              | E                                     |                                      |  |  |             |  | HET                                     |                | F                                     |
| 6-638   | Zurn                          | EcoVantage EL ADA                            | Z5561: Z5560 bowl, Z5561 tank    | 1,000  | 2                        | -                              | E                                     | *                                    |  |  |             |  | HET                                     |                | F                                     |
| WS-12   | Zurn                          | EcoVantage Dual Flush RF                     | Z5577: Z5575 bowl, Z5562 tank    | 350  | 2                        |                                | R                                     |                                      | *  |  |             | HET  |   |                | F                                     |
| WS-12   | Zurn                          | EcoVantage RF                                | Z5576: Z5575 bowl, Z5561 tank    | 350  | 2                        | -                              | R                                     |                                      |  |  |             |  | HET                                     |                | F                                     |

Key: RF – Round-front toilet bowl  
 EL – Elongated-front toilet bowl  
 S - Special bowl design  
 ADA-Meets bowl-height requirements of Americans with Disabilities Act; does NOT imply that fixture meets any other ADA requirements.  
 gpf - Gallons per Flush